# ADA Requires -> Accessible parking





Connecticut Department of Energy and Environmental Protection

## accessible routes





# and accessible docks, but....







Scene from "Finding Nemo" 2003, Pixar Animation Studios and Walt Disney Productions

# Now What?! An Answer to the Dock Transfer Question for Disabled Boaters

September 11, 2019 R. Michael Payton 2019 SOBA Conference



# Disabled Demographics

#### Who are the disabled:

- Can be old or young.
- Cause could be a disease, birth defect, injury, accident, assault, or combat.
- Condition may be temporary or permanent.
- Most are proud and want to be independent.
- Could be any of us at some point in our lives!

Recent Federal statistics put numbers at over 19% of the U.S. population!



## Dock to Boat Transfer Station

#### Design requirements need to be

- small enough to fit on a dock.
- durable and weather resistant,
- non powered for unattended areas,
- ADA standards compliant,
- useable by a variety of disabilities,
- simple but functional,
- vandal and misuse resistant,
- safe!



#### HALOES TS-1

```
Hand
 Adjustable
   Landing
       Embarkation
        System
Transfer Station 1
```

Satisfies design requirement challenges.



### HALOES DESIGN

#### Small enough to fit on a dock.

Four feet wide. Allows a four foot wide path on an ADA accessible eight foot wide dock.

#### Durable and weather resistant.

Made of welded stainless and galvanized steel. Devices are weather resistant.

#### Non powered for unattended areas.

Uses simple gear mechanics, slides and hinges.

#### ADA standards compliant.

Seats, railings, and trip clearances met.



#### HALOES DESIGN

#### Usable by a variety of disabilities.

Usable by vast majority of disabled. Provides means for <u>independent</u> use by many.

#### Simple but functional.

Uses hand cranks, slides, and torsion springs. Easy to understand and use.

#### Vandal and misuse resistant.

Strong construction. Stainless isn't a target for scrap. Perforated metal seat discourages use as cutting board. Side crank secured by cable.



### HALOES DESIGN

#### Safe!

Support handles strategically provided. Sliding hand rail can be used to stabilize movable seat users. Ramp and seat are perforated to decrease sliding potential. Movable seat remains level at all heights. Sliding rails and movable seat have a 250 pound plus capacity. Scissor jack has 3000 pound capacity and will not slip or collapse. Seat and ramp rise on gunnel with waves or wakes. Painted white to reduce solar heating of surfaces.

Connecticut Department of Energy and Environmental Protection

## **HALOES** Features



# HALOES Features (cont'd)



# HALOES Features (cont'd)



# HALOES Features (cont'd)



# Acknowledgements

This project could not have been completed without the support from the following individuals and organizations:

Thomas Smith, CT DEEP Retiree

Craig Bein, CT DEEP Field Services Division

University of Connecticut, School of Mechanical

**Engineering staff and Senior Design Project** 

students: Shannon Fortier

**Jacob Tvaronaitis** 

Alex Boguszewski

CT DEEP Boating Division and Field Support Services Division staff.



## Questions?

R. Michael Payton, Supervisor Navigation & Boating Infrastructure Unit mike.payton@ct.gov (860) 447- 4347

