

# SRAinternational.org | Website Style Guide

## Graphics & Images

- Logo: 285px width X 96px height
- Slides: 2000px width x 1350px height

Note:


- Slider images will resize/reposition based on a viewer's screen and browser size (desktop, tablet, mobile)
- Avoid text-based slider images due to scaling and legibility issues

## Typography

Style	Font Family / Size	Color / HEX Code
H1 Title	Raleway 44px	White #fff
H2 Title	Raleway 26px	Navy #094063
H3 Title	Raleway 18px	Black #364652
Body/Paragraph	Raleway 16px	Black #364652
Hyperlink	Raleway 16px	Blue #00549B

## Interior H1 Title Banners

CSS Wrapper Class: **heading-bg-img hidden**



1. In the Navigation folder, ensure "Show page title?" is toggled on

**Page Title** - appears in the heading of the page

About Us

Show page title? ☒ Yes ☐

Note:

- If Page Title field is left blank, it will show the Navigation Title (the menu link)
- For best SEO (search engine optimization) results, ensure only one H1 title per page is used.

## Buttons

Style	CSS Wrapper Class	Color / HEX
 Button - Default	make-buttons	Blue #00549B
 Button - Green	make-buttons-green	Green #0BAD4B
 Button - Light Blue	make-buttons-light-blue	Light blue #00AED5
 Button - Yellow	make-buttons-yellow	Yellow #EFC818
 Button - Orange	make-buttons-orange	Orange #F16823

How to create a button:

1. Add **make-buttons** button class to the CSS Wrapper Class Name field.
2. Highlight the text intended to become a button and insert a URL.
3. Italicize the text that was just hyperlinked.
4. Save (publish).


Note:

- Italic `<em>` tag *must* live outside the hyperlink `<a>` tag to enable styling:  
`<em><a href="http://website.com">Button Text</a></em>`

## Homepage Slides

CSS Wrapper Class:

**main-slide bg-image make-buttons white-button overlay-blue**



How to edit slides:

1. View Home folder, find associated content item.
2. Edit a slide using the content editor (or view HTML source code).

Note:

- CSS wrapper classes *must* be included for each slide.
- Tip: copy and paste an existing slide to add a new slide. This will bring over the important HTML and CSS wrappers to avoid breaking the design.
- Note: to remove blue overlay, use CSS Class: main-slide bg-image make-buttons white-button

## Box/Backgrounds



Style	CSS Wrapper Class	Color / HEX
Background/Box - Default	gray-box	Grey #f2f5f7
Background/Box - Blue	color-tile blue	Blue #094063
Background/Box - Green	color-tile green	Green #0BAD4B

Background/Box - Teal	color-tile teal	Light blue #00AED5
Background/Box - Yellow	color-tile yellow	Yellow #EFC818
Background/Box - Orange	color-tile orange	Orange #F16823

Add the CSS wrapper class into the content item you'd like to have the background on

- Note: for syndicated content, the CSS wrapper class only needs to be on the original content item. The syndicated content items will reflect the original.

## Accordions

(Top) CSS Wrapper Class: <b>accordion-heading</b>
⊕ Distinguished Faculty Members
(Bottom) CSS Wrapper Class: <b>accordion-text container</b>
⊖ Distinguished Faculty Members <ul style="list-style-type: none"> <li>Jennie L. Amison</li> <li>Ian M. Carter</li> </ul>
Navigation View Example
 Distinguished Faculty Members (top) 14  Distinguished Faculty Members (bottom) 14

How to make accordion/expandable text:

- Add two new content items; top and bottom.
- Top content - add **accordion-heading** CSS wrapper and text wrapped in an `<h3>` tag, e.g. `<h3>Text Example</h3>`
- Bottom content - add **accordion-text container** CSS wrapper and desired content - may have text, photo, video, etc. but all must live within the same content item.

Note:

- The above steps must be repeated for every accordion
- Each accordion must have its content items (top), (bottom) stacked directly together
- Only one (bottom) content item may be associated with (top)

## Blog Posts (Catalyst & Journal)

Community association: **Publication - SRAI Catalyst** or **Publication - Journal of Research Administration**

### Volume L, Number 1

Create a New Blog Post

Spring 2019

#### Volume L, Number 1 From the Editor's Desk

Spring 2019 Celebrating 50 Years of Research Administration Scholarship The Journal of Research Administration (JRA) is turning 50 this year! Throughout the year, we will celebrate this half a century of research administration scholarship through a number of initiatives and events. First, we will be re-publishing the first issue of the journal in [read more](#)

#### Developing Language to Communicate Privacy and Confidentiality Protections to Potential Clinical Trial ...

Volume L, Number 1 Developing Language to Communicate Privacy and Confidentiality Protections to Potential Clinical Trial Subjects: Meshing Requirements under Six Applicable Regulations, Laws, Guidelines and Funding Policies Authors Fanny K. Ennever Compliance Department, Boston Medical Center Sean Nabi Compliance Department, Boston Medical Center [read more](#)

How to add a blog post:

1. Click button, viewable to logged-in Super Admins only
2. Add post via the WYSIWYG editor - add a title, description and assign permissions for who can view and comment on the post.

Note:

- Ensure you associate a community with the post (either **Publication - SRAI Catalyst** or **Publication - Journal of Research Administration** to enable it to appear in the feed)
- Set permission based on audience (public - everyone, member, etc.)
- The order in which a series of blogs are posted affects the order they appear in the feed - the first post appears last; the last post appears first

## Resource Library

Style

Folders

New New Child Delete

Journal Archives

Volume L

Volume XLIX

Volume XLVIII

Folder Contents

New View Delete

Spring 2019

How to add a file:

1. To add a new file to a Resource Library in folder view, select the appropriate folder and click “New” under the folder contents section.

How to add a library entry:

- As a Super Admin, you will see editing options on any library.
- Select “New” to create a new library entry

Note:

- File types you can add to a library: hyperlink, webinar, YouTube video, or standard - PDF, Word, images/photos, audio, video, etc.

## In-page Anchor Links

JavaScript: `<a onclick="scrollToLocation('.#')">Text</a>`

### Source code

```
<p><a onclick="scrollToLocation('.UNIQUENAME')">Link Text</a></p>
```

**CSS Wrapper Class Name**

UNIQUENAME|

Note:

- Ensure the matching anchor name is added to the corresponding content item's CSS wrapper field
- Every JavaScript link event must have a unique name
- Do not use a mix of HTML anchor elements `<a name="UNIQUENAME"></a>` with JS version on the same page
- JS anchors work only within the same page
- To link to another internal page with an anchor, use the HTML version